SECOND SUN

Last turns round the SUN

OHIO great body passage. Computed speed and dimensions CONFIRMED BY CROP CIRCLE DECODING

For datres and references to CROP CIRCLES click on link:

http://www.royaldevice.com/download/second-sun.pdf

Rev 3 20-8-2018

SECOND SUN

The naked eye sightings

and

SATELLITEs SHOTS


NIKON Coolpix L830 camera – same VIDEO ZOOM –
1920x1080 Alabama – SECOND SUN central body (slow)
21-12-2017 20:28/21:17
26-06-2017 02:26
Central body x 4 zooming
odrigo Contreras Lopez
45.476
COLOMBIA videos 1-1-2018

CENTRAL BODY
x 4 in 6 months

VIDEO 21-12-2017
1536 x 1375

VIDEO 26-6-2017
1536 x 1375



1-1-2018 COLOMBIA VIDEOs

A light will never be seen by men. It will be visible to human eyes and will contribute to great changes on EARTH. 2.792-30.01.2007


COLOMBIA 1-1-18 the central body appears from behind the mountains, it also fully illuminates the BLACK outer part, like the MOON and spreads the reflected light of the SUN, then re-enters the "PENUMBRA" AREA of the EARTH (as for an eclipse), then it shows only the incandescent central body and disappears in the night behind the EARTH


COLOMBIA 1-1-18 This is the CENTRAL BODY of the SECOND SUN
taken without a mobile phone zoom
x 4 zooming
x 4 zooming
x 4 zooming

SECOND SUN Central body comparison

Da VIDEO originale 21-12-2017

Zoom ottico Nikon **x 34**

Frame parziale da originale

1536 x 1375 pixels



Non si hanno le caratteristiche del telefonino. Dalla ripresa si nota essere usato in grandangolare. Confronto abbastanza reale

BECKYs brown dwarf – during night time
NeNo FILTER used - 26-6-2017 – 02:26 A.M.
It's here. All calculations made were correct to the 21st July 2017 date. Distance less than 1 U.A.
Original dimension 4608 X 3456 pixels

SECOND SUN brown star
Pass at **~ 2/3 milions Km from STEREO A** satellite –
only the central part shown
in the 8° camera field



1 august 2017 - 16:39:24

**SECOND SUN MOVED PHOTO
FROM EARTH AMATOR CAMERA
SIMILAR TO THE SATELLITE PHOTO**

moments. Shot of Julia.
It is not clear whether it is the CENTRAL BODY of the SECOND SUN. We know that in addition to it there are at least 3 other bodies of smaller size, detached pieces, and 5 planets/satellites. This could be one of the BIG bodies (C1-C2 or C3).

The celestial bodies of SECOND SUN are different and of different nature

CENTRAL BODY rotates vertically +

OTHER 3 very fast BODIES taken from the

satellites in orbit have 5 satellites in tow

Also lot of meteor showers

All the concerning were correct





Analizing data we have in hand

Given the angle with which the S.S. Has passed in front of the STEREO A satellite
A SINGLE ORBIT SCENARIO is PRESUPPOSED

ELLIPTICAL / CIRCULAR / VERTICAL

orbits – REDUCED ORBIT DIAMETER - focus towards SUN - FORWARD and RETURN -
SCENTED ORBIT and from the crop circles of 2018

The time of the ORBIT IS DECREASING (one orbit per month instead of 48-54 days) which means that the size of the orbit decreases and the centrifugal force is decreasing also and the collapse against our SUN is next

Here follows the PREVIOUS DATA ANALYSIS

First deductions were….

SECOND SUN passage on 26-6-17, 18-8-2017 and 21-12-2017 at night, so behind the EARTH. 1-8-17 in front of STEREO A satellite, and 1-1-2018 at night in Colombia



SECOND SUN passage on 26-6-17, 18-8-2017 and 21-12-2017 during night, so behind the EARTH. 1-8-17 in front of STEREO A



Analizing data we have in hand

Given the angle with which the S.S. Has passed in front of the STEREO A satellite
A SINGLE ORBIT SCENARIO is PRESUPPOSED

ELLIPTICAL / CIRCULAR / VERTICAL

orbits – REDUCED ORBIT DIAMETER - focus towards SUN - FORWARD and RETURN -
SCENTED ORBIT and from the crop circles of 2018

The time of the ORBIT IS DECREASING (one orbit per month instead of 48-54 days) which means that the size of the orbit decreases and the centrifugal force is decreasing also and the collapse against our SUN is next

Here follows the PREVIOUS DATA ANALYSIS

Speaking about the CENTRAL NUCLEUS of the SECOND SUN
Not having other photos and shooting, it does not mean that there have not been passages in subsequent months.
Two steps are significant:
26-6-17 SECOND SUN descends to the horizon
1-8-17 SECOND SUN rises upwards
In 36 days it completes the low part of the orbit.

Then in 18 days
from 1-8-17 to 18-8-17 performs the upper part of the orbit.
It means that the orbit is cleaved under the 2/3 ecliptic.
TOTAL vertical orbital time 36 + 18 = 54 day approx

Confirm 3 things:
1. it is mainly seen from the southern hemisphere. Nasa, in fact, starts with his SOFIA plane to take it back to New Zealand on July 13th, 2017
2 . all the crop circles that refer to its orbit indicate the same thing. They are designed keeping tractor traces apart from the central SUN
3. In the northern hemisphere, sightings are always low in the sky and for a very short time

Moreover, from FEBRUARY 2017 we have

PASSAGES of the SECOND SUN FAST BODIES (we call them C1, C2 and C3) and its planets / satellites

The planets of the 3 BIG bodies of the S.S. they are resumed in steps. Each photo is made up of 9 superimposed photo shots taken in 10 minutes. In the single photo they appear as a sequence of shapes or points depending on the speed and distance at that moment from the satellite.

the BIG SECOND SUN BODIES leave a trail when the active central core explodes. It is probable that there will be 3 BODIES of this kind. So the CROP CIRCLES shows



It seems that every pic is taken in a single click of the 9 that are performed. Each shot has an exposure time of 17/24 seconds



SECOND SUN 3 BIG BODIES

24-7-1997 CROP circle - non-random date. The BIG BODIES were 4, but now they are only 3 and with 5 satellites following





BIG BODY: C2 and its 2 satellites
27-9-17 and 7-10-17 STEREO A passages









FIRST RIVOLUTIONS BETWEEN Sun and SECOND SUN in the INNER part of the SOLAR SYSTEM – not to scale



IMPORTANT CONSIDERATION

The STEREO A and LASCO satellites usually resume the 3 GREAT BODIES and their planets / satellites and leave the view within a few seconds, usually within a FRAME (a frame consists of 9 SHOTS for satellites and a shot for the big body). But when these are visible, due to their different orbits they are present on several frames for hours.

These, if possible normally are deleted to hide them to others.

THIS EXAMPLES EXPLAIN AL LOT

26-09-17 17:39 / 21:29 3 hours missing
18-11-17 06:54 / 09:24 3 hours missing
19-11-17 02:39 / 09:24 7 hours missing

STEREO A - COR 2

26-9-17 14:39 a frame missing

26-9-17 17:39 / 21:29 3 hours missing

23 Sept 03:24 + 3 days + 9:45 = 26 Sept 13:09



The passage in front of the satellite has arrived late, which means that the orbit has moved or is a bit longer than the approximate calculations previously performed, bearing in mind also that in 3 days the satellite moves counterclockwise

27-9-17 02:54 frame missing

27-9-17 03:39 frame missing

STEREO A - COR 2

18-11-17 06:54 / 09:24 3 hours missing

Here the Beckys SECOND SUN has passed

other frames missing



STEREO A - COR 2

19-11-17 02:39 / 09:24 7 hours missing

CENTRAL BODY of the SECOND SUN (Beckys)
Which probably came back below The ecliptic

But they forgot to Remove this from the RUNNING DIFFERENCE

Other frames missing



Second Sun positions till January 2018

First rotation available ~ 50 days. diminuishing on each "revolution" round the SUN. Prospective view



Position planets at 21-6-2017 and the vertical elliptical / circular orbit of SECOND SUN. VIEW from ABOVE the ecliptic, approaching from Uranus. IMPORTANT NOTE that from Direction 1, the attraction of our SUN from 26-6-17 has imposed Direction 2 and then Direction 3. Everything is confirmed by the surveys, photos and videos over time




ECLIPTIC TOP VIEW
EARTH and SECOND SUN
Positions, S.S. distances
not to scale
Sightings situation
Those without reference are
deducted and calculated
Colombia
Paula
1-1
21-12-17
21-11
18-11
19-11
6-11
27-11
22-11
15-11
21-10
20-09
27-11
26-09
15-11
7-10
EARTH
21-09-17
25-12
1-8
25-12
28-8
big body
21-08
18-8
18-8
Julia
STEREO A
1-8
21-07
STEREO A
26-9
STEREO A
18-11
26-6
EARTH
21-6-17
26-6-17
Becky
EARTH
STEREO A
LASCO
SECOND SUN
big body
big body
Cought by satellite
Above ECLIPTIC
Below ECLIPTIC


ECLIPTIC TOP VIEW
Colombia
Paula
Sightings situation
Those without reference are deducted and calculated
1-1
21-12-17
21-11
18-11
19-11
6-11
2
22-11
EARTH
STEREO A
SECOND SUN
big body
21-10
20-09
9-6
26-09
1
7-10
EARTH
21-09-17
Direction 1
1-8
STEREO A
1-8
21-08
18-8
0
18-8
Julia
-2
21-07
STEREO A
26-9
STEREO A
18-11
Above ECLIPTIC
Belowe ECLIPTIC
26-6
EARTH
21-6-17
Direction 2
26-6-17
Becky
-1



MARCH 2017: SECOND SUN seen from the SOUTH EMISPHERE was seen during the day with a movement of ROTATION, WE WANT TO BELIEVE ou CORRISPONDING in Argentina, this is his DIAGRAM that also confirms the origi of the SECOND SUN from the Direction of URAN. Videos available on the "SECOND SUN" web page

Now we get the next orbits, due to the strong attraction of our SUN and WHAT HAS BEEN PREVIOUSLY SEEN BETWEEN Direction 1, Direction 2 and Direction 3 still will continue

S.S. will reverse the course again 3 times
And it will return to the SUN position by

Directions: 4, 5 and 6

The situation is the following

7-1-2018 Second Sun passes above the ecliptic and gets in front of the STEREO A satellite at 1,8 milions Kms that snaps a photo on its screen. So in few days time on the other side of the Earth orbit (sse position on diagrams) 250 mil/km in 7 days : computed orbital speed ~ 450 Km/s (EARTH 30 Km/s)






EARTH positions, SATELLITES: STEREO A e SECOND SUN
Colombia 3
1-1-18
Paula
21-12-17
Direction 3
22-11-17
2
EARTH position
SECOND SUN
Above ECLIPTIC
Belowe ECLIPTIC
21-1-18
1-1
21-2-18
8-3-18
21-3-18
1-4-18
21-4-18
11-5-18
21-5-18
21-6-18
7-1-18
STEREO A
1,8 milions Km
Stereo Ahead Coronagraph 2
ECLIPTIC TOP VIEW

GLASGOW 24-1-2018

THE AWESOME DIMENSION RESPECT THE MOON
AT A DISTANCE GREATE THOUSANDS OF TIMES
TOWARDS ORBITS of MARS



EARTH positions, SATELLITES: STEREO A e SECOND SUN



At 1,8 milions Km from EARTH we should see it as this



Dear children, it will come from above making a great shadow on EARTH and many men will die of terror when they see him

2.493 - 10.03.2005

Those who use the Holy Rosary know that nothing will happen to them.

2018 SATELLITE PASSAGES

8-1-2018 17:39.24 – 00:24.24
7 hours recording missing

Plus others hours sporead out on 9-1-18
9-1-2018 17:39.24 – 01:24.24
8 hours recording missing

10-1-2018 17:39.24 – 22:24.24
5 hours recording missing

11-1-2018 17:54.24 – 20:54.24
3 hours recording missing
Here a passage not seen

12-1-2018 17:54.24 – 00:24.24
7 hours recording missing

13-1-2018 02:39.24 – 05:54.24
17:54.24 – 19:54.24
Missing 3,15 + 1 + 2 hours + ... others

15-1-2018 04:54.24 – 06:54.24
Missing 2 + 3 + ... hours recording
A probable passage of the SECOND SUN



2018 SATELLITE PASSAGES

4-1-2018 17:24.24 23:54.24

6,5 hours recording missing

5-1-2018 17:39.24 01:24.24

8 hours recording missing





The tendency of the movements of the SECOND SUN and its celestial bodies, from Direction 3, 4, and 5 to then in the future 6 seems to be a SPIRAL that tightens both in height and in width, becoming more circular rather than elliptic, and increase its speed towards the center accordingly.

The spiral at the end of each Direction 3/4 - 4/5, etc. OSCILLATES to the RIGHT and LEFT with respect to the SUN as if it were a SPRING swing, trying to self-center on the SUN. This depends on the INGENS of the masses and the FORCES.

Speaking instead of speed, it is easy to think that if the S.S. rotates on its orbit at a speed of about 450 Km / s, if its celestial body rotates around him 10 times for each orbit, its relative velocity to the EARTH becomes 10 times greater
450 x 10 = 4500 Km / s

But it seems that, from the disappearances of the recordings from the satellite, the rotations are much more, so that it is easy to get closer to the calculated 10x higher speeds.

What the other missing recordings mean - just one example of the big body C1



It is also possible that these bodies are taken over by LASCO C3 while Stereo A takes over the S.S.- see example



3-9-2014 CROP CIRCLE gives indications regarding the arrival of the S.S.

Horizontal EARTH axis and BINARY orbit with Venus

EARTH & Venus
TOGETHER – SEE FROM ABOVE
EARTH AXIS ORIZONTAL 90°

2,7 : 4,1= 0,66

13-5-19
Venus e
EARTH
TOGETHER







There will be an imbalance in the gravitational force of the EARTH, which will attract the distant giant. 2.807 - 06.03.2007

x 4 PAULA 21-12-17

x 4 Colombia 1-1-18

Distance form EARTH ~ 20 mil/Km



SECOND SUN BIG BODIES

This is not the place to check all the steps, also because those who think they hold the truth, delete the frames, and the truth, however, does not have it. They are in the ball and know less than us. What matters to us is to understand what Heaven is warning us about. One thing is certain: the 3 GREAT BODIES C1, C2 and C3 are also reproposed here by the Angel crop circles



The approximate distances of the 3 GREAT BODIES C1, C2 and C3 to the S.S. are somehow obtainable from the passages in front of STEREO A, interpolating the position of the SECOND SUN. These, however, seem to be reduced for the 10-10-2019 date. Given the roundabout will be very dangerous bodies for the EARTH, especially the 5 satellites



October 26 2017 - 7:32 p.m. OHIO

https://www.youtube.com/watch?v=FXnVeq0UTNQ

What happened there while looking to Saturn – video credits to DiversityJ
TAKE CARE – FILE continuously UPDATED – New findings in the video that match STEREO A satellite questions THAT NOW Give all the answers



SECOND SUN and its 3 external big bodies with 2/3 planets or satellites. These travel at “speed light” and are continuously cought by the STEREO A and LASCO satellites. Many steps are deleted - here the proportion of orbits from 21-2-2018







26-10-2017
big body explosion In OHIO 19:32 (GMT 01.32)
from STEREO A satellite 16 hours recordings are missing, from 16:54.24 / 26-10-2017
to 09:09.35 / 27-10-2017
Let's check if STEREO A could resume the transition from its position of 120 °

From above the Ecliptic plane

SUN JUST at SUNSET - Saturn already visible just above the horizon. The passages visible from STEREO A can only be those in blue (in the 4th field at the equator level)



2 considerations:

1 - The correct passage is the one indicated with the CELESTE, that is seen from the EARTH, it passes behind the SUN because the satellite in tow is always illuminated.

2 - It is possible to calculate approximately the size of the central body and of the satellite considering a distance of about 1 U.A.

Calculation of approximate dimensions of the 2 bodies in the 26-10-17 passage in OHIO. The Saturn reference simplifies the calculation. 90/5000In the second explosion shows a diameter of 3.7 times



All the 75 video FRAMEs (73 shown) with S.S. Planet real positions taken from the video zoom from 1:07 to 1:20




The big body C2 satellite runs the Distance of about
0 ° 29 'in 1.25 seconds (75 frames).
We can approximate the speed of C2 to the satellite
speed itself.
Frame 73
Frame 62
219°
219° 9'
Frame 1
+17°49'
+17°48'
+17°47'
+17°46'
+17°45'
+17°44'
+17°43'
Data e ora
Data e ora
Giorno giuliano
2017 - 10 - 26
19 : 32 : 30
Terra, Forest Park (Ohio), 258m
CDV 0.149°
18.2 FPS
2017-10-26 19:32:30 UTC-04:00


The big body C2
Travel the Distance of about 0 ° .0.386 ' in 0.0167 sec (one FRAME)
5 FRAMEs COVER 0 °. 1.9 '
Frame 42
Frame 37
17°46'
17°45'
17°44'
17°43'
17°42'
Data e ora
Data e ora
Giorno giuliano
2017 – 10 – 26
19 : 32 : 49

ORBITAL SPEED CALCULATION

The big body C2 satellite runs the Distance of about 0 ° 29 'in 1.25 seconds (75 frames).
We can approximate the speed of C2 to the satellite itself.
To do a ROTATION THEORICS at the Distance of 1 U.A. it would be enough to make the appropriate proportion

360 °: x = 0 ° 29 ': 1.25 seconds

21600 ': x = 29': 1.25 seconds

X = 931 seconds = 15 minutes and 30 seconds
The ORBITAL speed depends on the size of the orbit. If the Radius were 50 mil / km (as in the GRAIN WHEAT) and approximating to a circular orbit we will have that the circumference is worth 314 mil / km made in 932 seconds which means

33.700 Km /seconds
which is not surprising because the steps on the satellite, when the BIG BODIES are resumed last less than ONE FRAME satellite (17 seconds) and the view of the satellite is 8 ° (480 ') - which means:

29’ : 1,25 seconds = 480’ : 21,08 seconds !!!

EVERYTHING MATHES

big body passage

27-11-2017 07:30:00 here we have an example where the body is taken in the passage between 2 satellite FRAMES. It can be understood from the fact that the end of the "swipe" is round and the beginning as well. The dark blue oblique bar is the slide holder in front of the orbital "telescope" lens used to blind the SUN (central part - dark circle)






View from above the ecliptic
EARTH position e SECOND SUN
Distances S.S. not in scale
Sightings situation:
OHIO 26-10
EARTH
STEREO A
LASCO
SECOND SUN
big body
big body
Ripreso da satellite
Above ECLIPTIC
Below ECLIPTIC
Colombia
Paula
1-1
21-12-17
18-11
19-11
6-11
27-11
21-11
22-11
15-11
26-10
21-10
20-09
27-11
26-09
15-11
7-10
EARTH
21-09-17
25-12
1-8
STEREO A
1-8
25-12
28-8
big body
21-08
18-8
18-8
Julia
21-07
STEREO A
26-9
STEREO A
18-11
STEREO A
26-10
EARTH
21-6-17
26-6-17
Becky

SECOND SUN big body passage - 15-NOV-2017

Passage near to the SUN. Unbelievable route variation most probably due to opposite MAGNETIC poles to the Sun. See the internal Explosion



As on the OHIO video the Second Sun explosion has occurred in a fraction of one second



OHIO video. Second Sun real explosion



The "mad COCKROACH" is still alive and with speeds towards light values shows his presence in front of the satellite. No possibility for anybody to predict its orbit to be followed and caught by any telescope or camera.

SOHO –LASCO C2

26-9-17 06:36:07 – passaggio GRANDE CORPO del SECONDO SOLE prima del passaggio del CORPO CENTRALE del SECONDO SOLE

Satellite images from "STEREO A" COR 2 and SOHO LASCO C2 e C3

ON THIS LINK YOU CAN FIND the more important images

http://www.royaldevice.com/download/SECONDO-SUN-FROM-SATELLITE.pdf

For complete viewing see also

http://www.royaldevice.com/download/PASSAGGIO-SECONDO-SOLE-2017.pdf



STEREO A COR 2 satellite
[STEREO B out of order]



satellite SOHO–LASCO (C2 6 "solar radius" 16' x 6 - C3 "30 solar radius" 16' x 30 = 8°)

Shutter speed: C2 26 seconds – C3 19 seconds

Large Angle and Spectrometric Coronagraph

EXPLOSION of 2 bodies of the "SECOND SUN", in a fraction of a second as per video OHIO 26-10-17. Here shot during day time. original video slowed down x 8 –> 8s = 1s



EXPLOSION of a "SECOND SUN" BODY, in a fraction of a second, similar ALSO to the satellite resumption of 15-11-17
Real photo from Alabama video of 11-10-17 hours 15.00 performed by Paula Gilley - ALABAMA (vedi video)

EXPLOSION of 2 bodies of the "SECOND SUN", filtered image EXPLOSION of a GREAT BODY



14-1-18 05:24:00

Hours missing on COR 2 – visible only on RUNNING DIFFERENCE



SATELLITE PASSAGES Dec 2017

28-12-17 17:24.24 21:24.24

3 hours recording missing

31-12-17 17:39.24 00:39.24

7 hours recording missing

29-12-17 00:54.24 03:54.24

3 hours recording missing

29-12-17 17:39.24 01:54.24

8 hours recording missing

29-12-17 04:54.24 07:24.24

8 hours recording missing

30-12-17 17:39.24 21:39.24

3 hours recording missing

EXPLOSION of a GREAT BODY
15-7-2018 and 21-07-2018
and OTHER BODIES TO THE FOLLOWING



EXPLOSION of a GREAT BODY
12-7-2018 very close to the satellite - note well the trail from top to bottom, and then the 6 and 5-7-18




STEREO Ahead COR2
2018-06-26 17:24:00.0
2018-06-12 04:09:17
2018-06-12 04:09:15.0
2018-06-17 17:54:00.0
STEREO Ahead COR2
2018-06-09 09:09:15.0
2018-06-09 09:09:15
2018-05-29 14:09:15.0

EXPLOSION of a GREAT BODY on 25-12-2017




Other planet
STEREO Ahead COR2
19:24:00
The photo does not show planets
10′
The 9 shots that form the sequence of the passage of a planet in this single image
1
9
10′
10′
19:24:00
The photo does not show planets
10′
9 FRAMES image
9
21st OCTOBER 2017 - 19:09:00
PASSAGE OF 2 PLANETS of C2 of the SECOND SUN
2017-10-21 19:09:15
2017-10-21 19:09:15.0

PASSAGE OF A GREAT BODY
of the "SECOND SUN"

20 OCTOBER 2017

12:09:15





8 Ott 2017 - 03:36

STEREO COR2
MISSING IMAGES
FROM 0:54 TO 5:24

8 Ott 2017 - 03:36

MERCURY PASSAGE
In 2 days





C2 It goes again NEAR THE SUN and 24 seconds after it exit the satellite view



Next image available at 08:09:35. Previous image at 06: 39: 24.0



7 Oct 2017 - 06:54:00

The C2 PASS again in front of the satellite that immortalizes it. Many hours of recording are not available, but let's do some calculations with what's left



a BIG BODY of the SECOND SUN SOLES and is not irradiated by the SUN, probable both the body passed in OHIO







26 e 28 sept 2017 - 00:24:00

C1 PASS in a similar way, slightly moved, but at different distances from the sun

26 sett 2017 - 02:54



28 sett 2017 - 00:24



27 sett 2017 - 06:54:00

C2 PASS in a similar way, slightly moved, but at different distances from the sun - it is not overheated and illuminated. It is closer to the satellite that takes it back.

27 sept 2017 - 12:24

7 Oct 2017 - 06:54





26 sept 2017 - 02:54:00

A SECOND SUN "BODY". From previous and subsequent shots, it is noticable that the upper trail (marked here with the oval) DOES NOT EXIST but is part of the BODY. Between the 25th and 27th September a great explosion of the Sun took place, of which a small part was visible here.



il 23 Sept at 17:54:00



21 & 23 sept 2017

Passage of a S.S. "BODY" near the sun in a few moments



23 Sept at 17:54:00



9 SEPT 17 - 12:24:24






26 August 02:24:00
maybe C3 BODY
Uranus
COR2-A
2017/08/26 02:24:00
SECCHI

24 August
13:39:24

26 August
02:24:24



9 August 2017 - 01:54:24

No planet in transit

Passage of a body of the Second Sun behind the SUN




Stereo Ahead Coronagraph 2
1 August 2017 - 07:39:24
SECOND SUN IN FRONT OF STEREO A
2017-08-01 07:39:24.0

7-1-2018 – 23:54:24

History repeats itself: central core of SECOND SUN resumed a 0,012 U.A. x 150 (mil/Km) = 1,8 milioni di Km from STEREO A SATELLITE

	DIAMETER Km	DATE	Distance A.U.	arctg degrees
nucleo central eS.S. il 7-1-18	126.000	01/07/2018	0,012	4,004172941

Second sun
Digital Zooming x 2



Central nucleus
126.000 Km



SUN
Digital Zooming x 2





SECOND SUN brown star
Pass at **~ 2/3 milions Km from STEREO A** satellite –
only the central part shown
in the 8° camera field



1 august 2017 - 16:39:24

**SECOND SUN MOVED PHOTO
FROM EARTH AMATOR CAMERA
SIMILAR TO THE SATELLITE PHOTO**

24 July 2017 18:39:00 – COR 2 STEREO A

It is not a solar emission because it DOES NOT START from the SUN. Now we have the photo experience of 7 October 2017



24 July 2017

The second sun had to collide with our SUN and switch it off by hitting it at the speed of light, almost perfect calculations. 3 days error on 4217.8 years of orbit and ... .. This is one of its BIG BODIES in tow It is not a solar emission because it DOES NOT START from the SUN. Now we have the photo experience of 7 October 2017




LASCO C3
Showing 100 of 100 frames
24 July 2017
06:54:00
C3
2017/07/24 06:54:07


Stereo Ahead Coronagraph 2
STEREO Ahead COR2
24 July 2017
18:09:24
A SECOND SUN
BIG BODY
2017-07-24 18:09:35.0
STEREO Ahead - Coronagraph 2 - Running Difference - Space Weather Beacon
STEREO Ahead COR2
24 July 2017 18:09:35
2017-07-24 18:09:35
2017-07-24 18:09:35.0

Passage of a BODY of the Second sun

29 June 2017 15:39:24





29 June 2017 15:39:24



FOTO ORIGINALI

Shooting in ALABAMA from the same person and from the same camera Nikon COOLPIX L830

"BECKYs"

SECOND SUN IMAGE in ALABAMA

“DSCN 0285A” - x 4 Digital Zoom

SUN

“Welding glass sun 002”

x 2 Digital Zoom

Comparing the 2 dimensions

ALL THESE IMAGES COME FROM SATELLITE NASA STEREO AHEAD COR 2

https://iswa.ccmc.gsfc.nasa.gov/IswaSystemWebApp/

Clock on windows "Solar" / N. 7 / "STEREO A COR 2 space weather beacon" Set Hours and date – choose also IMAGE GALLERY, and LASCO 3



ON THIS LINK YOU CAN FIND the more important images

http://www.royaldevice.com/download/PASSAGGIO-SECONDO-SOLE-2017.pdf