

SECOND SUN REAL ORBIT

**The tribulation of HUMANITY
thought by GOD the FATHER
5873 Earths years ago
as the VERY LAST chance of
SALVATION**

6-10-2016


21-6-2015

**Three mathematical models were given here
Fitting all the previous CROPS - Why God the Father give us so many
inputs using His Angels in this period of time?**



Two mathematical models were Already explained here

Also the VENUS
distance says that
the MATH model is
correct



2.82, 4.55 = 5.37
107,4 Mil Km
VENUS distance
21st JULY 2017

The distance is given by the **RED line L**


Coordinates 4,77 ; 6,4 → L= 7,98

$K = 149,577 \text{ Mil Km} / 7,46 = 20,05$

$K = \text{diagram ratio to Mil Km IN SCALE}$

Distance = 7,98 x 20 = 159,64 Mil Km

These two distances
say that the MATH
model is correct



163,3 Mil Km
121° 1st Jan


157,4 Mil Km

157 Mil Km


1st Nov near


STD orbit again

**2nd intersect
point**




Earth standard orbit







EARTH ORBIT MOVEMENTS FOLLOW A GEOMETRICAL RULE


YELLOW CIRCLE IS THE EARTH NORMAL ORBIT (SAME DIAMETER AS THE WHITE ONE), WHOSE CENTER IS PROJECTED ON THE TRACTOR RAIL AND TANGENT TO THE CENTER OF THE FULL WHITE CIRCLE. THE YELLOW RECTANGLE IS THE 90° NORMAL PARALLEL RULER THAT COINCIDES TO THE TRACTOR RAILS (not perfectly paralleled in the pic). THE YELLOW ARROW SHOWS THE INTERSECTION OF TWO CIRCLES. THERE WE DRAW THE TANGENT OF THE YELLOW CIRCLE AND SEE WHAT IT HAPPENS.







EARTH ORBIT MOVEMENTS FOLLOW A GEOMETRICAL RULE







EARTH ORBIT MOVEMENTS FOLLOW A GEOMETRICAL RULE







EARTH ORBIT MOVEMENTS FOLLOW A GEOMETRICAL RULE






EARTH ORBIT MOVEMENTS FOLLOW A GEOMETRICAL RULE







EARTH ORBIT MOVEMENTS FOLLOW A GEOMETRICAL RULE



6th point



The 6 points




EARTH ORBIT MOVEMENTS FOLLOW A GEOMETRICAL RULE





EARTH ORBIT MOVEMENTS FOLLOW A GEOMETRICAL RULE

Look at the dates previously given on the 22-7-2008 CROP




Tractor rails are not perfectly parallel on the pic so small drawing error on the arrow projections, but...





Do you remember this crop?
DOES THIS MATTER ANYMORE?






GRAPHICAL DIMENSIONS: SUN 0,9 - SECOND SUN 0,55

RATIO: $0,55 / 0,9 = 0,611$ (we presume 0,666)

Rotating the ellipse to ZERO DEGREES we obtain AXIS length at 0° : 5,35 – 8,09


The semiaxis length ratio is $2,675 / 4,00 = 0,661$ (we presume 0,666)

ORBIT ANGLE SHOWN : 13° and 33°






ORBIT ANGLE SHOWN : 13° and 33°


S.S. orbit rotated 13°




S.S. orbit down 33°









GRAPHICALLY AND MATHEMATICALLY








ZOOM IN - THESE THE PROPORTIONS

From Horizontal ECLIPTIC PLANE POINT OF VIEW


WHEN EVERYTHING STARTED WAS AUGUST 2013
ON MARCH 2014 THE ORBIT PLANES WERE ALREADY TILTED
WE HAVE IN HAND MANY PROOFS




**WE NEED TO FIND THE TOP VIEW as to FIND THE
S.S. DIRECTION ENTERING the Solar System**

**THE CLUE IS VENUS POSITION AT 21-12-2012 that is the same as per
21-7-2017**

**THE CLUE IS VENUS POSITION AT 21-12-2012 same as
the REAL 21-7-2017 EARTH & VENUS LAST POSITIONS**




THE CLUE is VENUS POSITION AT 21-12-2012 same as per 21-7-2017



WE NEED TO FIND THE TOP VIEW

The inner planets same as per the 22-7-2008 crop

THE REFERENCE DIRECTION AT THE 21-12-2012
is again shown to underline the CLUE



ECLIPTIC PLANE VIEW FOR BOTTOM SIDE for SECOND SUN APPROACHING ANGLE



THIS IS THE TOP VIEW


S.S. orbit MODEL

**S.S. orbit rotated 13°
Down 33° and focused
on the SUN
SECOND SUN REAL ORBIT TO
SCALE**

**SECOND SUN
APPROXIMATE ORBIT
20 UA 13-10-16
TANGENT to the
REAL FINAL DIRECTION**

THE PROPORTIONS TO SCALE

**SOLAR
SYSTEM**



ECLIPTIC PLANE VIEW FOR BOTTOM SIDE for SECOND SUN APPROACHING ANGL



THIS IS THE TOP VIEW

S.S. orbit rotated 13°
Down 33° and focused
on the SUN
SECOND SUN REAL ORBIT

10 UA

11 UA

13,5 UA

15 UA

SECOND SUN
APPROXIMATE ORBIT
20 UA 13-10-16

Uranus
orbit

20 UA

SECOND SUN REAL ORBIT


From Uranus (20 AU) to SATURN orbit (10 AU)

Anguera Messages from Holy Virgin Mother:

It will rise a light never seen by men. It will be visible to the human eye and will contribute to major changes on Earth. 2.792- 30.01.2007

The great light will be visible in the Southern Hemisphere. 3106 - 07/01/2009

An explosion in the universe will cause great astonishment to the wise men. The earth will suffer 3.197 - August 6, 2009




SECOND SUN **REAL** ORBIT From 15 AU to JUPITER orbit (5 AU)

Anguera Messages from Holy Virgin Mother:

largest than the earth it will be what will worry the wise men. They will not find any solution, but God will come to the rescue of his people. **In the universe there are things that science still does not know, but with the permission of the Lord will be discovered.** 3103 - 01/01/2009


It will occur unexplained phenomena on Earth and the wise will not find responses 3,224 - October 9, 2009

By the gravitational force of the earth there will be great suffering and pain. The birds will impact 3,168 - 02/06/2009





SECOND SUN REAL ORBIT

The men will blend in front of what the Lord will allow 2,832 - 03/05/2007



**SHADOW MEASUREMENTS MADE ON MARCH 2014 NEARBY THE EQUINOX
USING THE SMALL 32,5 cm HEIGHT GNOMON**



SHADOW MEASUREMENTS – ONLY FEW TAKEN USING THE SMALL 32,5 cm HEIGHT GNOMON. WIKIPEDIA WAS SAYING THE EQUINOX WAS

2014 20 March at 16:57

But the **102, 06 cm** at the **45,53° latitude** was down between the 22nd and 23rd (measure not taken), so the thinking was something is wrong in the measurements... but now we see the differences day by day are not right also so..... So the measurements were right

		2014	2014
	SHADOW	SHADOW	MEDIA
	HEIGHT	HEIGHT	difference
	on 32,5 cm	on 100 cm	on one day
15/03/2016	36,90	113,54	2,00
16/03/2016			
17/03/2016	35,60	109,54	1,40
18/03/2016			
19/03/2016			
20/03/2016			
21/03/2016	33,78	103,94	1,52
22/03/2016			
23/03/2016			
24/03/2016	32,30	99,38	0,97
25/03/2016			
26/03/2016			
27/03/2016	31,35	96,46	2,92
28/03/2016	30,40	93,54	1,23
29/03/2016			
30/03/2016			
31/03/2016			
01/04/2016	28,80	88,62	

102,06


Media Difference
on 4 days:

$109,54 - 103,94 = 5,6$

$5,6 : 4 = 1,4 \text{ cm !!!}$


Normal difference
should be 0,9

see details at:



<http://www.royaldevice.com/calendario/solar%20system%20shifting-8.pdf>

THE FINAL CONFIRMATION IS IN THIS 24-7-2005 CROP



24-7-2005 CROP
4380 days to 21-7-2017

4217,8 SECOND SUN ORBIT

vertical sum 224

vertical sum 220

$8 \times 3 = 24$

$6 \times 4 = 24$

$4 \times 6 = 24$

24 is a reference
made of 2 & 4

24 x 3 = 72

tenths


32

10 & 4 Reference numbers

Aldbourne (1), Wiltshire | 24th July 2005 | Wheat OH

50 of 92

BUT THIS ONE GIVES A VERY IMPORTANT EVIDENCE MORE



Horizontal sums

$$12+12=24$$

$$11+11+11+11=44$$

$$10+10+100+10+10=140$$

$$9+9+90+9+9=126$$

$$8+8+8+80+8+8+8=128$$

And again....

112

108

100

92

90

64

30

$$1058 \times 4 =$$

4232


$$4232 - 10 - 4 \text{ (the references)}$$

$$= 4218$$

Let's take out the SMALL REFERENCE "2"
As decimals (only to sides instead of 4)

4217,8 years Second Sun orbit

IT IS ALSO TALKING ABOUT THE 24th Sept 2016 EQUINOX DAY, 300 DAYS TO THE END



Horizontal sums

$$12+12=24$$

$$11+11+11+11=44$$

$$10+10+100+10+10=140$$

$$9+9+90+9+9=126$$

$$8+8+8+80+8+8+8=128$$

And again....

112

108

100

92

90

64

30

$$1058 \times 4 =$$

4232

Now we notice the 11 & 12 OUT of the tenths

$$11 \times 4 + 12 \times 2 = 68$$

+ 4 (the reference or the difference

Between the two vertical sums) = **72**

220 (vertical sum) –

72 (horizontal sum) = **148**

4232 + 148 = 4380 days to

21-7-2017 : The SUN explosion

4080 days to Sept 2016 Equinox DAY

24-7-2005 CROP

4380 days to 21-7-2017

vertical sum 220

vertical sum 224

THE
REFERENCE
THE EQUINOX
STRAIGHT
LINE

10 & 4 Reference numbers

Horizontal sums

$$12+12=24$$

$$11+11+11+11=44$$

$$10+10+100+10+10=140$$

$$9+9+90+9+9=126$$

$$8+8+8+80+8+8+8=128$$

And again....

112

108

100

92

90

64

30

$$1058 \times 4 = 4232$$

Now we notice the white central line that indicates the EQUINOX STRAIGHT LINE

The sum of the numbers:

$$5+4+3+2+10+2+3+4+5=38$$

$$38 \times 4 = 152 \quad 4 \text{ (is the REFERENCE)}$$

**4232 - 152 = 4080 days to the
24th SEPT 2016 EQUINOX DAY –
[not the 22nd as states by
wikipedia]**

2016 EQUINOX DAY: 300 days before the END


The SEPT 2016 Equinox day: The 24th → 300 days before the END

The hour lines, [why every half an hour?], do they indicate the 12 day hours? Yes maybe..


But.. Let's perfectly see HOW

They indicate that the EQUINOX has been shifted by roughly **half an hour in respect to the NOON**. So, not only the date but also time has been shifted.


The morning EQUINOX QUADRANT
Has half an hour MORE



The AFTERNOON EQUINOX QUADRANT
Has half an hour LESS
NOON shifted Half an hour ON



What we found by measuring the shadows during Sept 2016 equinox days



- 1 – on the 24.9.2016 starting from 12.00 to 12.30 there are 18,9 cm (same as 23-9-16)
- 2 – the measure of any minute is roughly linear $18,9 : 30' = 6,3 \text{ mm /minute}$
- 3 – the SHORTEST SHADOW is we have 13,0 cm
- 4 – $13 : 6,3 = 20,63 \text{ minutes decimal form then } \rightarrow 20' 38''$

The ZENIT time is 12h 20' 38''
nearly half an hour late from NOON


Now we have to find the Equinox daytime. As the shadow length on the equinox should be **102,06** cm, the equinox daytime will be between the 23 september (101,5 cm) and the **24 sett** (103,2 cm).

The EQUINOX DAY is more near to the 24th than the 23rd

So everything was really going on and is GOING ON. In fact the average TEMPERATURE in 2013 at 45,58° NORTH LATITUDE strangely where following the 13 external DOTS of the 16 July 2014 CROP


The 2 strange “SOLE 13” and “SOLE 14” DOT semicircles, while 4 x 15 and 3 x 16 would have brought also to further conclusions (the FINAL 2017 CALENDAR) see details to:

<http://www.royaldevice.com/CALENDARIO/10%20last%20weeks-3.pdf>



So let's draw the **DIAMETER GRAPH** of the **SOLE 13 DOTS** and the more internal **SOLE 14 DOT SEMICIRCLES** that reminds something as "2013" and "2014"
" ONLY "

And try to find an evidence ratio with temperatures




Temperatures of the two years were taken to calculate weekly averages. After have found the right ratio between graphical diameters and temperatures, the 13 and 14 points were spread out on 54 weeks and found that:

SOMETHING NOT REALLY IMAGINABLE WAS THERE

The diameters were reporting all the 2013 average temperatures taken,


See below the two graphs for the year 2013





Using the same RATIO found for the 2013 we made the graphs of 2014, practically matching again

All this to say that in 2014 the SUMMER AVERAGE TEMPERATURES (at this latitude) WAS always below year 2013


And below 25° !!! And this is a REAL FACT



So now let's try to understand something



What does this have to do with all the previous?




The yellow circle wants to remind the similarity of the last portion of an ellipse towards to a smaller circle in the perielio giving a NEW rule to find the dates that we already had, but using a different mathematical model, just to fit in mind that everything is not made as a matter of case and that all meets. Moreover looking to the 2013 and 2014 temps we notice that all is already happening since 2013, but I would say 2012 as in that July in Groenlandia all the ice melted in 3 days time. Everything is changing because the Second Sun approaching varies during travelling, as previously seen. So the seasons changes year per year in a different manner, and nobody understand the reason why. Also the temps difference Day/night in sept/october are higher in respect to years 2010, 2011 and 2012. Go and see. This because the ORBIT is TILTED 9° since 2013 or back and the SUN rays are focused toward the Secon SUN position that changes. In Sept/Oct our distance from the SUN, being OUT of ORBIT, is HIGHER but we get more heat due to Sun rays going below the Ecliptic so the result is high temp during day and colder nighth due to higher distance and the result is what you see. Now you all know the reason.

Satellites See Unprecedented Greenland Ice Sheet Surface Melt

July 24, 2012: For several days this month, Greenland's surface ice cover melted over a larger area than at any time in more than 30 years of satellite observations. Nearly the entire ice cover of Greenland, from its thin, low-lying coastal edges to its two-mile-thick center, experienced some degree of melting at its surface, according to measurements from three independent satellites analyzed by NASA and university scientists.

On average in the summer, about half of the surface of Greenland's ice sheet naturally melts. At high elevations, most of that melt water quickly refreezes in place. Near the coast, some of the melt water is retained by the ice sheet and the rest is lost to the ocean. But this year the extent of ice melting at or near the surface jumped dramatically. According to satellite data, an estimated **97 percent of the ice sheet surface thawed at some point in mid-July**.


https://science.nasa.gov/science-news/science-at-nasa/2012/24jul_greenland/



More or less the situation is the following – not to scale

TOP VIEW


**Normal Sun rays
same in all directions**



Normal situation

TOP VIEW


**DIRECTED Sun rays
Towards Second SUN position**



Second Sun




More or less the situation – not to scale



The NASA Solar FLARE MONITOR images are not available onward the 27 sept 2014. Now you know the reason why

<http://iswa.ccmc.gsfc.nasa.gov/IswaSystemWebApp/>



**DURING THE LAST FOUR YEARS OF SECOND SUN APPROACHING
starting from the limit of the Solar System THE EARTH MAKES 4
REVOLUTIONS.**

**in the last 3 years at least SEPT/OCT TEMPERATURES ARE
AFFECTED BY THE SECOND SUN POSITION ON THE ORBIT. As said
higher than normal, with higher difference between day and night**

**But we have seen that also previous years had big problems in
different months:**

2012 – ICE MELTING in Greenland

2013 - COLD SUMMER on NORTH EMISPHERE


2014 MORE COLD SUMMER then 2013 on NORTH EMISPHERE

2015 – SPRING time HOTTER than SUMMER in NORTH EMISPHERE


**2015 – SPRING time time HOTTER than SUMMER in SOUTH
EMISPHERE**



Without consider Hurricanes, Earthquakes and so on

The external EARTH SPEED changes depending on the position of the Secon Sun



When the intersection point with the Second SUN direction is overpassed, the situation inverts – This in 4 years time have been always different





As science, on the UNIVERSE approach has given to us a lot of bullshit since ever, one of them all, but not the least is the BIG BANG IDIOCY.

So the first thing scientists maybe wouldn't accept is the SECOND SUN ORBIT, because a question would rise up:

Why the Secon Sun hasn't hit our SUN 4217 years ago?

ANSWER:


Because scientists just look at what they see (and first it has to happen, else how they see it?), and do not use brain and do not believe in GOD the Father neither in the Holy Bible.

Here is the Answer

The answer is into the Second Sun ORBIT itself, but this is the least, while a more important fact is happening: the SUN itself is moving towards the SECOND SUN of course. This is viceversa, so the Earth orbit movements you have seen are ONLY RELATIVE to a FIXED point that FIXED is not. The result is the Earth orbit sliding as a spring pull day by day, trying to follow Keplers Rule. Einstein where are you? We need you.


Second Sun ORBIT – not to scale

4217 years ago the Second Sun + its orbiting planets arrived at a distance not too dangerous to Solar System, but some problems were made as the GREAT FLOOD on Earth, tilting of Plutos orbit, 90° URANUS axis tilting too, then went back, but its orbit is not fixed but slides as shown. Now it will be the LAST TIME




SCIENTISTS LOOKING AT UNIVERSE HALT - HOLDING ON - STOPPED (speed of light is negligible for GOD) GUESS IT HAS BILLION YEARS foolishing everything

Our SUN is attracted by the second sun – NOT TO SCALE



Crop circles give several suggestions Not only one. The clue here is always the “PLUTOs sign”. Maths rules are true in different ways



Matthew 11, 25 At that time Jesus said in reply, "I give praise to you, Father, Lord of heaven and earth, for although you have hidden these things from the wise and the learned you have revealed them to the childlike.

SECOND SUN REAL ORBIT

**The great tribulation of HUMANITY
thought by GOD the FATHER since ever
5873 “Earths years” ago
as the VERY LAST chance of
SALVATION
from human evildoing and “science”
idiocy**