### BECKYs Black SUN - NIGHTtime NO FILTER - 26-6-2017

The BROWN STAR told by the Holy Virgin Mary is here All the data computed to the 21st July 2017 were correct. Here it is at ONLY 85 mil Km distance, less than 1 A.U. Its nearness has caused the first SUN explosion on 23rd July



Becky Lewis Alabama Ob 6-26-17 2:26


Let us see the next path and the happenings
Rev. 10 date 28-11-2017 – CROPs, revolution details and Earth TILT

#### BROWN STAR path: the movements


All this accoplish all the infos we have since April from Argentina views and videos and now from the Heaven thru the Bishop.


The Beckys Shot/videos on 26-6-2017 tells also the actual position. The previous 23rd July Sun explosions maybe due to the high attraction Beckys Brown Star to the SUN when reached a certain position. A new explosion is expected on the next lap. If this will happen during 10th to 13th August it means that the revolution now is less than ONE MONTH





#### BROWN STAR past path – tridimensional view





# Several CROPS indicates the SPIRAL ORBIT towards a CENTER: the SUN. WHITE LINE: ECLIPTIC PLANE










### Giving reference also to other celestial bodies




The SPIRAL that CLOSE to the CENTER


WHITE LINE: ECLIPTIC PLANE



## **Explaining also what it is happening**



### 9-6-2015 CROP SHOWING the SPIRAL ORBIT



**ECLIPTIC PLANE** 



# 29-7-2014 CROP CIRCLE






Green Street, nr Avebury, Wiltshire | 29th July 2014 | Wheat | OH2

3 of 4


### 29-7-2014 CROP: needs 2 readings

First reference shows the Second Sun that is going to hit our SUN from below the Ecliptic plane. Indication of Sun and Second Sun symbols as usually used by Angels: 2 uncentered circles about 0,6 ratio



### 29-7-2014 CROP: needs 2 readings

Second reference: Second Sun orbits above and below the ECLIPTIC PLANE for **6,5 TIMES** 





# 21-6-2013 CROP CIRCLE The last 3,5 turns before the HIT





# 21-6-2013 CROP CIRCLE


The last 3,5 turns before the HIT




























# Earth Axis TILTING SEQUENCE during BROWN STAR PASSAGE on 13 th SEPT 2017












It remains all the rest already seen in April
Whose movements comply to the BECKYs BROWN STAR

# SECOND SUN (Nibiru): the movement observed by our astronomer in Argentina since April

South








Figure "A" is the region where you should look for what I call the black sun or Nemesis. That is what I take during the day and at full sun with infrared filter or floppy disk of those before. Put the filter between the camera and the telescope, the red color will guide you to the center of the same today more yellow.



The figure "B" is the Dragon this low in retrogrado to the constellations and march towards the East. It is currently lost under the South horizon. Until a month ago (February) this body did not get lost in the South horizon. The approach has widened the orbit. In our night time the Dragon is currently lost between 24PM and 01AM. The Dragon has a travel companion "fixed", "No orbital". It is positioned in an imaginary clock on the main figure at 11hr. He has never moved from there.



The figure of Planet X detaches itself from the Zenit and descends as the Drago descends, almost on the same path. Only a few hours later. You can see at 5:3 AM still the figure of Planet X and his satellites at about 20/25 ° elevation above the center of the South.